

Material Safety Data - ASTRO-MASTIC

1. IDENTIFICATION OF THE SUBSTANCE / PREPARATION AND THE COMPANY.

1.1 CHEMICAL PRODUCT. *ASTROflame* Intumescent Fibre Free Mastic (ASTRO-MASTIC)

1.2 APPLICATION. Fire barrier for wall and floor openings with or without services.

1.3 COMPANY IDENTIFICATION.

Astroflame (Fire Seals) Ltd.
Intumescent House
Unit 8 The IO Centre
Stephenson Road
Segensworth
FAREHAM
ENGLAND PO15 5RU

Tel: 0800 023 2482 Fax:0800 023 2483
International - Tel: +44 1329 844 500 Fax: +44 1329 844 600
eMail: sales@astroflame.com

1.4 EMERGENCY TELEPHONE NUMBER. 0800 023 2482

2. COMPOSITION / INFORMATION ON INGREDIENTS.

2.1 CHEMICAL DESCRIPTION.

Water based mastic of a vinal acetate - acrylate emulsion with inert ablative fillers and stabilisers.

2.2 HAZARDOUS INGREDIENTS.

Vinyl Acetate: Less than 2% wt.

Poly-acrylate: Less than 0.004% by wt.

Fungicide: 700 ppm by wt.

3. HAZARD IDENTIFICATION.

On available data, *ASTROflame* Fibre-free Mastic has no hazard classification according to 88/379/EEC.

May cause soreness if product enters the eyes. Repeated or prolonged skin contact may cause defatting and lead to irritation.

Ingress into waterways may cause discolouration. BOD may be harmful to aquatic organisms.

4. FIRST AID MEASURES.

4.1 EYE CONTACT.

Wash out with plenty of clean water or sterile eye wash solution.

4.2 SKIN CONTACT.

Wash off with soap and water. If eye or skin irritation persists seek medical advice.

4.3 INGESTION.

Give water to drink. Seek medical advice.

4.4 INHALATION.

Remove to fresh air. Seek medical advice.

5. FIRE FIGHTING MEASURES.

5.1 EXTINGUISHING MEDIA.

Is not flammable therefore not applicable.

5.2 FIRE AND EXPLOSION HAZARDS.

Not applicable.

5.3. PROTECTION MEASURES.

Not applicable.

6. ACCIDENTAL RELEASE MEASURES.

6.1 PERSONAL PRECAUTIONS.

Not applicable.

6.2 ENVIRONMENTAL PRECAUTIONS.

Prevent ingress into drains and waterways, as this can cause permanent blockage.

6.3 CLEANING UP

Spillage should be contained and disposed of safely.

(See section - 13)

7. STORAGE AND HANDLING

7.1 STORAGE.

Ideally between 10 and 30°C and indoors in dry well ventilated conditions are recommended.

7.2 RECOMMENDED SHELF LIFE.

Can be indefinite but 2 years (if kept dry) is a normal accepted limit.

7.3 HANDLING.

ASTROflame Fibre-Free Mastic is a water based mastic and it may be used with disposable gloves.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION.

8.1 OCCUPATIONAL EXPOSURE LIMITS.

General ventilation is normally adequate. For large quantities, especially if sprayed, local extraction may be necessary.

8.2 ENGINEERING MEASURES.

Not Applicable.

8.3 PERSONAL PROTECTIVE EQUIPMENT.

Overalls, Gloves, Goggles and Respiratory Devices.

9. PHYSICAL / CHEMICAL PROPERTIES.

9.1 APPEARANCE. White mastic.

9.2 ODOUR. Faint. Ether / Alcohol.

9.3 PH. Alkaline.

9.4 VISCOSITY. N/A

9.5 FREEZING POINT. N/A

9.6 FREEZE THAW RECOVERY. N/A

9.7 BOILING POINT. N/A

9.8 MELTING POINT. N/A

9.9 FLASH POINT. N/A

9.10 AUTO-FLAMMABILITY. N/A

9.11 EXPLOSIVE PROPERTIES N/A

9.12 VAPOUR PRESSURE. As water.

9.13 VAPOUR DENSITY. N/A

9.14 RELATIVE DENSITY. N/A

9.15 SOLUBILITY. Fully miscible.

9.16 PARTITION COEFFICIENT. N/A

10. STABILITY AND REACTIVITY.

10.1 STABILITY.

Not Applicable.

10.2 CONDITIONS TO AVOID.

Not Applicable.

10.3 MATERIALS TO AVOID.

Not Applicable.

10.4 RECOMMENDED MATERIALS FOR EQUIPMENT.

Not Applicable.

10.5 HAZARDOUS DECOMPOSITION PRODUCTS.

Not Applicable.

11. TOXICOLOGICAL INFORMATION.

11.1 SHORT TERM EFFECTS.

EYE CONTACT. Not Applicable.

SKIN CONTACT. Not Applicable.

INGESTION. Not Applicable.

INHALATION. Not Applicable.

11.2 CHRONIC EFFECTS Not Applicable.

12. ECOLOGICAL INFORMATION.

ASTROflame Fibre-Free Mastic Miscible with water and likely to be transported as milky dispersion to considerable distance if allowed to ingress into water.

The ASTROflame Fibre-Free Mastic is no bio-degradable and in water becomes alkaline. Biological oxygen demand for other components may be harmful to aquatic organisms.

Low concentration of ASTROflame Fibre-Free Mastic in water for sewage treatment are unlikely to reduce sludge activity; the binder and other solids are largely absorbed on the sludge, and thus eliminated from the waste stream.

13. DISPOSAL CONSIDERATIONS.

Any waste is considered non-hazardous and therefore it can be incinerated in a suitable facility or disposed of on an approved land fill site, provided the Local Regulations are observed, once dried to a solid form.

14. TRANSPORT INFORMATION.

14.1 PACKAGING. No special precautions are necessary, it is, however, recommended that it is

stored in a dry place away from foodstuffs.

14.2 FREIGHT CLASSIFICATION.

Not Applicable.

15. REGULATORY INFORMATION.

15.1 C.P.L CLASSIFICATION. Not Applicable.

HAZARD PICTOGRAM. Not Applicable.

RISK PHRASES. Not Applicable.

SAFETY PHRASES. Not Applicable.

16. OTHER INFORMATION.

The information in this publication is accurate to the best of the knowledge of **ASTROflame (FireSeals) Ltd.**

As part of our policy of ongoing improvements, we reserve the right to modify, alter or change product specifications without giving notice. Product illustrations are representations only. All information contained in this document is provided for guidance only, and as ASTROFLAME FIRESEALS LTD has no control over the installation methods of the products, or of the prevailing site conditions, no warranties expressed or implied are intended to be given as to the actual performance of the products mentioned or referred to, and no liability whatsoever will be accepted for any loss, damage or injury arising from the use of the information given of products mentioned or referred to herein.

The above information to the best of our knowledge is true and accurate and based upon current test data and is supplied for your guidance only. Customers should satisfy themselves to the suitability of the product in its intended use and no guarantee is given or implied since the conditions of actual use are beyond our control. ASTROflame (Fireseals) Ltd, disclaim any liability for loss, damage or other expense arising from the use of information, data or products mentioned or referred to and reserve the right to change any details or specifications without notice.

Astroflame (Fire Seals) Ltd. Intumescent House
Unit 8, The IO Centre, Stephenson Road, Segensworth
FAREHAM, ENGLAND PO15 5RU

tel 0800 023 2482
(01329 844500)

fax 0800 023 2483
(01329 844600)

intl
tel +44 1329 844500

fax +44 1329 844600

email sales@astroflame.com